



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Thursday, December 22, 2022** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsComponents/Listings.asp?Company=23790&Standard=061&>

NSF/ANSI/CAN 61 Drinking Water System Components - Health Effects

NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. Click here for a list of [Abbreviations used in these Listings](#). Click here for the definitions of [Water Contact Temperatures denoted in these Listings](#).

Norwesco, Inc.

(<http://www.norwesco.com>)

4365 Steiner Street

St. Bonifacius, MN 55375

United States

800-328-3420

952-446-1945

[Visit this company's website](#)

(<http://www.norwesco.com>)

Facility : Hanford, CA

Protective (Barrier) Materials

Water Water

Trade Designation	Water Contact Size Restriction	Contact Temp	Contact Material
Tanks[1]			
Applicator Tanks	20 - 500 gal.	CLD 23	PE
Applicator Tanks (Slim Line)	150 - 200 gal.	CLD 23	PE
Below Ground Holding Tanks	2,000 - 20,000 gal.	CLD 23	PE
Bushman-Water Tank[2]	>= 20 gal.	CLD 23	PE
Cistern	>= 500 gal.	CLD 23	PE
Cistern DL[2]	>= 600 gal.	CLD 23	PE
Cistern Sphere	250 - 325 gal.	CLD 23	PE
Cistern Sphere DL[2]	>= 225 gal.	CLD 23	PE
Cone Bottom	125 - 10,000 gal.	CLD 23	PE
Drainable Leg	710 - 3210 gal.	CLD 23	PE
Elliptical	200 - 1600 gal.	CLD 23	PE
Elliptical Leg Tanks	135 - 4035 gal.	CLD 23	PE
Flat Bottom Utility	20 - 500 gal.	CLD 23	PE
Horizontal	35 - 6025 gal.	CLD 23	PE
Inductor Tanks	20 - 80 gal.	CLD 23	PE
Loaf Tanks	50 - 1050 gal.	CLD 23	PE
Mini Bulk	>= 120 gal.	CLD 23	PE
PCO	30 - 300 gal.	CLD 23	PE
Pickup	>= 210 gal.	CLD 23	PE
Specialty Water	525 - 1100 gal.	CLD 23	PE
Specialty Water Tanks / Free Standing Tanks	100 - 4200 gal.	CLD 23	PE
Specialty Water Tanks (w/Steel Frame)	375 gal.	CLD 23	PE
Spot Sprayers	20 - 25 gal.	CLD 23	PE
Tuna Can	5000 gal.	CLD 23	PE
Vertical	20 - 20,000 gal.	CLD 23	PE
Water Hauling Tanks	1250 - 2400 gal.	CLD 23	PE
Water Only	20 - 20,000 gal.	CLD 23	PE

[1] Certified tanks are available in black, blue, green, or white.

[2] DL - Domed lid.

NOTE: Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.

Facility : St. Bonifacius, MN**Protective (Barrier) Materials**

Trade Designation	Water Contact Size Restriction	Water Contact Temp	Water Contact Material
Tanks[1]			
Applicator Tanks	20 - 500 gal.	CLD 23	PE
Applicator Tanks (Slim Line)	150 - 200 gal.	CLD 23	PE
Below Ground Holding Tanks	2,000 - 20,000 gal.	CLD 23	PE
Bushman-Water Tank[2]	>= 20 gal.	CLD 23	PE
Cistern	>= 500 gal.	CLD 23	PE
Cistern DL[2]	>= 600 gal.	CLD 23	PE
Cistern Sphere	250 - 325 gal.	CLD 23	PE
Cistern Sphere DL[2]	>= 225 gal.	CLD 23	PE
Cone Bottom	125 - 10,000 gal.	CLD 23	PE
Drainable Leg	710 - 3,210 gal.	CLD 23	PE
Elliptical	200 - 1,600 gal.	CLD 23	PE
Elliptical Leg Tanks	135 - 4,035 gal.	CLD 23	PE
Flat Bottom Utility	20 - 500 gal.	CLD 23	PE
Horizontal	35 - 6,025 gal.	CLD 23	PE
Inductor Tanks	20 - 80 gal.	CLD 23	PE
Loaf Tanks	50 - 1,050 gal.	CLD 23	PE
Mini Bulk	>= 120 gal.	CLD 23	PE
PCO	30 - 300 gal.	CLD 23	PE
Pickup	>= 210 gal.	CLD 23	PE
Specialty Water	525 - 1,100 gal.	CLD 23	PE
Specialty Water Tanks (w/Steel Frame)	375 gal.	CLD 23	PE
Specialty Water Tanks / Free Standing Tanks	100 - 4,200 gal.	CLD 23	PE
Spot Sprayers	20 - 25 gal.	CLD 23	PE
Tuna Can	5,000 gal.	CLD 23	PE
Vertical	20 - 20,000 gal.	CLD 23	PE
Water Hauling Tanks	1,250 - 2,400 gal.	CLD 23	PE
Water Only	20 - 20,000 gal.	CLD 23	PE

[1] Certified tanks are available in black, blue, green, or white.

[2] DL - Domed lid.

Facility : Lancaster, OH

Protective (Barrier) Materials

Trade Designation	Water Contact Size Restriction	Water Contact Temp	Water Contact Material
Tanks[1] [2]			
Applicator Tanks	20 - 500 gal.	CLD 23	PE
Applicator Tanks (Slim Line)	150 - 200 gal.	CLD 23	PE
Below Ground Holding Tanks	2,000 - 20,000 gal.	CLD 23	PE
Bushman-Water Tank	>= 20 gal.	CLD 23	PE
Cistern	>= 500 gal.	CLD 23	PE
Cistern DL	>= 600 gal.	CLD 23	PE
Cistern Sphere	250 - 325 gal.	CLD 23	PE
Cistern Sphere DL	>= 225 gal.	CLD 23	PE
Cone Bottom	125 -10,000 gal.	CLD 23	PE
Drainable Leg	710 - 3210 gal.	CLD 23	PE
Elliptical	200 - 1600 gal.	CLD 23	PE
Elliptical Leg Tanks	135 - 4035 gal.	CLD 23	PE
Flat Bottom Utility	20 - 500 gal.	CLD 23	PE
Horizontal	35 - 6025 gal.	CLD 23	PE
Inductor Tanks	20 - 80 gal.	CLD 23	PE
Loaf Tanks	50 - 1050 gal.	CLD 23	PE
Mini Bulk	>= 120 gal.	CLD 23	PE
PCO	30 - 300 gal.	CLD 23	PE
Pickup	>= 210 gal.	CLD 23	PE
Specialty Water	525 - 1100 gal.	CLD 23	PE
Specialty Water Tanks (w/Steel Frame)	375 gal.	CLD 23	PE
Specialty Water Tanks / Free Standing Tanks	100 - 4200 gal.	CLD 23	PE
Spot Sprayers	20 - 25 gal.	CLD 23	PE
Tuna Can	5000 gal.	CLD 23	PE
Vertical	20 - 20,000 gal.	CLD 23	PE
Water Hauling Tanks	1250 - 2400 gal.	CLD 23	PE

Water Only 20 - 20,000 gal. CLD 23 PE

[1] DL - Domed Lid

[2] Certified tanks are blue, black, green, or white.

Facility : Fairfield, TX

Protective (Barrier) Materials

Trade Designation	Water Contact Size Restriction	Water Contact Temp	Water Contact Material
Tanks[1]			
Applicator Tanks	20 - 500 gal.	CLD 23	PE
Applicator Tanks (Slim Line)	150 - 200 gal.	CLD 23	PE
Below Ground Holding Tanks	2,000 - 20,000 gal.	CLD 23	PE
Bushman-Water Tank[2]	>= 20 gal.	CLD 23	PE
Cistern	>= 500 gal.	CLD 23	PE
Cistern DL[2]	>= 600 gal.	CLD 23	PE
Cistern Sphere	250 - 325 gal.	CLD 23	PE
Cistern Sphere DL[2]	>= 225 gal.	CLD 23	PE
Cone Bottom	125 -10,000 gal.	CLD 23	PE
Drainable Leg	710 - 3210 gal.	CLD 23	PE
Elliptical	200 - 1600 gal.	CLD 23	PE
Elliptical Leg Tanks	135 - 4035 gal.	CLD 23	PE
Flat Bottom Utility	20 - 500 gal.	CLD 23	PE
Horizontal	35 - 6025 gal.	CLD 23	PE
Inductor Tanks	15 - 80 gal.	CLD 23	PE
Loaf Tanks	50 - 1050 gal.	CLD 23	PE
Mini Bulk	>= 120 gal.	CLD 23	PE
PCO	30 - 300 gal.	CLD 23	PE
Pickup	>= 210 gal.	CLD 23	PE
Specialty Water	525 - 1100 gal.	CLD 23	PE
Specialty Water Tanks (w/Steel Frame)	375 gal.	CLD 23	PE
Specialty Water Tanks / Free Standing Tanks	100 - 4200 gal.	CLD 23	PE
Spot Sprayers	20 - 25 gal.	CLD 23	PE

Tuna Can	5,000 gal.	CLD 23	PE
Vertical	20 - 20,000 gal.	CLD 23	PE
Water Hauling Tanks	1250 - 2400 gal.	CLD 23	PE
Water Only	20 - 20,000 gal.	CLD 23	PE

[1] Certified Tanks are White, Black, Green, or Blue.

[2] DL - Domed Lid.

Facility : Tooele, UT

Protective (Barrier) Materials

Trade Designation	Water Contact Size Restriction	Water Contact Temp	Water Contact Material
Tanks[1]			
Applicator Tanks	20 - 500 gal.	CLD 23	PE
Applicator Tanks (Slim Line)	150 - 200 gal.	CLD 23	PE
Below Ground Holding Tanks	2,000 - 20,000 gal.	CLD 23	PE
Bushman-Water Tank[2]	>= 20 gal.	CLD 23	PE
Cistern	>= 500 gal.	CLD 23	PE
Cistern DL[2]	>= 600 gal.	CLD 23	PE
Cistern Sphere	250 - 325 gal.	CLD 23	PE
Cistern Sphere DL[2]	>= 225 gal.	CLD 23	PE
Cone Bottom	125 - 10,000 gal.	CLD 23	PE
Drainable Leg	710 - 3210 gal.	CLD 23	PE
Elliptical	200 - 1600 gal.	CLD 23	PE
Elliptical Leg Tanks	135 - 4035 gal.	CLD 23	PE
Flat Bottom Utility	20 - 500 gal.	CLD 23	PE
Horizontal	35 - 6025 gal.	CLD 23	PE
Inductor Tanks	20 - 80 gal.	CLD 23	PE
Loaf Tanks	50 - 1050 gal.	CLD 23	PE
Mini Bulk	>= 120 gal.	CLD 23	PE
PCO	30 - 300 gal.	CLD 23	PE
Pickup	>= 210 gal.	CLD 23	PE
Specialty Water	525 - 1100 gal.	CLD 23	PE

Specialty Water Tanks / Free Standing Tanks	100 - 4200 gal.	CLD 23	PE
Specialty Water Tanks (w/Steel Frame)	375 gal.	CLD 23	PE
Spot Sprayers	20 - 25 gal.	CLD 23	PE
Tuna Can	5000 gal.	CLD 23	PE
Vertical	20 - 20,000 gal.	CLD 23	PE
Water Hauling Tanks	1250 - 2400 gal.	CLD 23	PE
Water Only	20 - 20,000 gal.	CLD 23	PE

[1] Certified tanks are available in black, blue, green, or white.

[2] DL - Domed lid.

Facility : Washougal, WA

Protective (Barrier) Materials

Trade Designation	Water Contact Size Restriction	Water Contact Temp	Water Contact Material
Tanks[1]			
Applicator Tanks	20 - 500 gal.	CLD 23	PE
Applicator Tanks (Slim Line)	150 - 200 gal.	CLD 23	PE
Below Ground Holding Tanks	2,000 - 20,000 gal.	CLD 23	PE
Bushman-Water Tank	>= 20 gal.	CLD 23	PE
Cistern	>= 500 gal.	CLD 23	PE
Cistern DL[2]	>= 600 gal.	CLD 23	PE
Cistern Sphere	250 - 325 gal.	CLD 23	PE
Cistern Sphere DL[2]	>= 225 gal.	CLD 23	PE
Cone Bottom	125 - 10,000 gal.	CLD 23	PE
Drainable Leg	710 - 3210 gal.	CLD 23	PE
Elliptical	200 - 1600 gal.	CLD 23	PE
Elliptical Leg Tanks	135 - 4035 gal.	CLD 23	PE
Flat Bottom Utility	20 - 500 gal.	CLD 23	PE
Horizontal	35 - 6025 gal.	CLD 23	PE
Inductor Tanks	20 - 80 gal.	CLD 23	PE
Loaf Tanks	50 - 1050 gal.	CLD 23	PE
Mini Bulk	>= 120 gal.	CLD 23	PE

PCO	30 - 300 gal.	CLD 23	PE
Pickup	>= 210 gal.	CLD 23	PE
Specialty Water	525 - 1100 gal.	CLD 23	PE
Specialty Water Tanks (w/Steel Frame)	375 gal.	CLD 23	PE
Specialty Water Tanks / Free Standing Tanks	100 - 4200 gal.	CLD 23	PE
Spot Sprayers	20 - 25 gal.	CLD 23	PE
Tuna Can	5000 gal.	CLD 23	PE
Vertical	20 - 20,000 gal.	CLD 23	PE
Water Hauling Tanks	1250 - 2400 gal.	CLD 23	PE
Water Only	20 - 20,000 gal.	CLD 23	PE

[1] Certified tanks are available in black, blue, green, or white.

[2] DL - Domed lid.

Number of matching Manufacturers is 1

Number of matching Products is 162

Processing time was 0 seconds